



## 6 Tiers Automatic Quail Raising Equipment H Type 20 Years Long Lifespan

Our Product Introduction


### Basic Information

- Place of Origin: Chengdu, China
- Brand Name: Farmrob
- Certification: ISO9001, CE
- Model Number: H Type
- Minimum Order Quantity: 200 sets
- Price: USD 65-200/set
- Packaging Details: Normal export packing 20ft / 40HQ container
- Delivery Time: 60 days
- Payment Terms: L/C,T/T
- Supply Ability: 50000 sets per month



### Product Specification

- Name: Quail Raising Equipment
- Usage: Breeding Quail Cage
- Installation Tools: Included
- Material: High-content Al Series
- Size: 1.8m By 0.625m By 0.25m
- Layer: 3 Or 6 Tiers
- Capacity Per Cell: 30 Birds/Cell
- Capacity: 90-1080 Birds Per Set
- Rusting: 10 Years No Rust
- Egg Collecting System: Automatic
- Ventilation System: Automatic Ventilation System
- Highlight: **6 Tiers Quail Raising Equipment, Automatic Quail Raising Equipment, Quail Raising Equipment H Type**



for more products please visit us on [farmrob.com](http://farmrob.com)

## 6 Tiers Automatic Quail Rearing Equipment 20 Years Long Lifespan

1. The 6-layer equipment can raise 200,000 quails. It features a high-density breeding system, centralized management, and saves land, labor, and energy.
2. Cage specifications: 1800mm \* 625mm \* 250mm, with a standing area of 95 - 125 cm<sup>2</sup> per quail.
3. The floor is 550mm high, with good lighting and ventilation effects.
4. It can be equipped with a precise feeding system, with a feeding accuracy of ±2g per position, saving feed.
5. The elastic bottom net helps the quail eggs have a "soft landing", reducing the damage of quail eggs. The broken egg rate is less than 2%.
6. The cage frame and feeding trough are made of magnesium-aluminum-zinc alloy materials. The incision has a self-healing function, good anti-corrosion performance, high strength, and is not easy to deform or rust.
7. The mesh is made of high-quality aluminized zinc wire, which is elastic, has a smooth surface, and does not require surface treatment or polishing after welding, and does not cause damage to the quails' bodies.



for more products please visit us on [farmrob.com](http://farmrob.com)

### Specifications

single cage specification	
Length	1800mm
Width	625mm
Height	250mm
Storey Height	550mm
Bird/Area	125cm <sup>2</sup>
Birds/cage	30 Birds/Door × 3 Doors/Cage

## Why Choose Us?

Farmrob has over 20 years of experience in poultry farming. We offer project design and quotations, working alongside our farm technical consultants to provide comprehensive budgeting and farming solutions.

1. We have advanced technical equipment and can also provide installation and technical guidance.
2. Our services are attentive, and we have a complete after-sales service system.



**Sichuan Shengxing Intelligent Technology Group Co., Ltd.**



+86 158 8207 1508



Johnzhu@farmrob.com



farmrob.com

19 1st Road ,YangAn Industrial Park, ChengDu City,China