




Low Elongation Customizable Manure Removal Belt Long Service Life For Poultry Raising

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Farmrob
- Certification: ISO9001
- Model Number: MRB-1
- Minimum Order Quantity: 50 pc
- Packaging Details: Normal export packing 20ft / 40HQ container
- Delivery Time: 2 Weeks
- Payment Terms: L/C, T/T
- Supply Ability: 2000 pc per/month



Product Specification


- Material: Polypropylene
- Thickness: 1-1.2 Mm
- Color: White
- Highlight: Low Elongation Manure Removal Belt, Poultry Raising Manure Removal Belt, Customizable Manure Removal Belt



for more products please visit us on farmrob.com

Low Elongation Customizable Manure Removal Belt Long Service Life For Poultry Raising

Our company's conveyor belts are known for their bright white appearance, suitable for a variety of industrial applications. The length and width of the conveyor belts can be customized according to the specific requirements of customers, with a maximum width of up to 2500 mm. We also offer conveyor belts produced according to imported formulas specified by customers, ensuring that the product performance meets particular usage needs. Our conveyor belts are renowned for their superior performance and long service life. After 9 years of actual use, the products remain in excellent working condition and have received unanimous praise from a wide range of customers, establishing a strong social reputation. Each production line is equipped with an automatic scanning thickness measurement system, ensuring that the product thickness is tested with an accuracy of 0.01 μ m. The measurement points are adjusted based on the product width, covering at least 20 points, ensuring the thickness is uniform and the flatness is exceptional.



Features

1.High-Quality Materials

Made from high-standard materials to ensure durability and reliability of the conveyor belts.

2.Customization Services

Length and width can be flexibly produced according to customer needs, with a maximum width of up to 2500 mm to meet different industrial environments.

3.Imported Formulas

Can be produced according to specific formulas requested by customers, ensuring high efficiency and

reliability of product performance.

4.Outstanding Performance

After 9 years of long-term use, the products still perform excellently and have received wide recognition from customers.

6.High-Precision Testing

Equipped with an automatic scanning thickness measurement system, with a testing accuracy of 0.01 μm , ensuring uniform thickness and excellent flatness of each conveyor belt.

7.Good Social Reputation

With stable product quality and excellent service, we have earned the trust and praise of our customers.

Applications



Choosing our conveyor belts means you will experience high-quality industrial solutions, helping to streamline and enhance your production processes.



Sichuan Shengxing Intelligent Technology Group Co., Ltd.



+86 15882314158



dennis@farmrob.com



farmrob.com

19 1st Road ,YangAn Industrial Park, ChengDu City,China