Anti-Aging Stable Operation Poultry Manure Removal System Rust Resistance

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Farmrob
- Certification: ISO9001
- Model Number: Manure Removal System
- Minimum Order Quantity: 200 sets
- Packaging Details: Normal export packing 20ft / 40HQ container
- Delivery Time: 50 days
- Payment Terms: L/C,T/T
- Supply Ability: 50000 sets per month

Product Specification

- Product Name: Poultry Manure Removal System
- Tiers: 3 To 12, Which Can Be Designed
- Feature: Anti-aging, Anti-corrosion
- Service Lifespan: Over 15 Years
- Highlight: **Rust Resistance Poultry Manure Removal System**, **Anti-Aging Poultry Manure Removal System**, **Stable Operation Poultry Manure Removal System**



for more products please visit us on farmrob.com

Our Product Introduction

Product Description

Anti-Aging Stable Operation Poultry Manure Removal System Rust Resistance

In modern poultry farming, the manure cleaning system is the core equipment to ensure the cleanliness of the chicken coop environment and reduce the spread of diseases. Farmrob uses a conveyor belt to remove manure. With its low failure rate, high stability and excellent results, the Farmrob's manure removal system has become the preferred solution for many farms, providing a reliable guarantee for the hygienic management of chicken coops. Efficient manure removal system also greatly reduces manual labor intensity.

Manure Removal System

The patented cleaning structure prevents the belt from deviating and greatly reduces the maintenance rate.

Front manure driven device

Plastic nylon spiral driven wheel to prevent the belt from off track and effectively removeaccumulated manure.

Hot dip zinc skeleton.

Belt bracket

Al-Zn-Mg alloy high-tech material bracket.

Side plate with high anti-corrosion performance.

Smooth surface to avoid scratching the belt.

for more products please visit us on farmrob.com



Back manure drive device

The large and small rollers at the end are injection molding tire rubber drive wheel with good plasticity, high friction and low stress, and protect the belt.

The pressing mechanism of the manure scraper is multi-layer integrated control, saving labor and easy operation.

Polyurethane double manure scraper is to protect the belt, removal manure more cleanly, reduce the pollution of chickens and eggs.

Manure conveyor

W=600, alloy skeleton, belt 7mm thickness, stainless, non-deforming.

Benefits

1. Improve environmental hygiene

Reduce ammonia concentration

Reduce pathogenic microorganisms

Control parasites

2. Maintain chicken health

Reduce stress

Promote growth

Reduce mortality rate

3. Enhance farm management efficiency

Reduce manual labor intensity and improve manure cleaning efficiency.

Reduce the risk of spreading zoonotic diseases

4. Environmental Protection and Resource Utilization

Reduce Pollution

Manure treatment and utilization

Farmrob **Sichuan Shengxing Intelligent Technology Group Co., Ltd.**

+86 158 8207 1508 Johnzhu@farmrob.com farmrob.com

19 1st Road ,YangAn Industrial Park, Chengdu City, China