




## Uniform feed Layer Chicken Cage System Hot-Dip Galvanized Hopper

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Farmrob
- Certification: ISO9001
- Model Number: H Type automatic layer equipment
- Minimum Order Quantity: 200 sets
- Price: USD 65-200/set
- Packaging Details: Normal export packing 20ft / 40HQ container
- Delivery Time: 60 days
- Payment Terms: L/C,T/T
- Supply Ability: 50000 sets per month



### Product Specification

- Features: Anti-corrosion, Anti-aging
- Service Life: Over 15 Years
- Story Height: 700mm
- Tiers: 3-12 Tiers
- Material: Al-Zn-Mg Alloy
- Characteristics: Automatic Drinking System, Automatic Feeding System, Automatic Ventilation And Cooling System, Automatic Manure Removal System
- Service: Technical Training, Installation Guidance

for more products please visit us on [farmrob.com](http://farmrob.com)

## Product Description

### Uniform feed Layer Chicken Cage System Hot-Dip Galvanized Hopper

Ensuring the uniformity of the chickens means small differences in weight, body size, and development level, which is crucial for enhancing production efficiency, management efficiency, and overall health. We ensure uniform feed for each chicken by providing sufficient feeding space for each chicken through mature experience and design.

#### Accessories of feeding system

Farmrob's patented precise feeding system features a simple structure, uniform feeding, and convenient operation, which effectively addressed the widespread issue of uneven feeding within the industry.

Filling devices: the filling process is two-stage. The slant and transverse filling are respectively controlled by one motor to avoid the breakage of the auger and the pipe at the intersection, greatly reducing the failure rate. Feed outlet and inlet will be automatically closed after the feeders move away to avoid feed dropping.

The patented feed leveler makes the feeding more uniform. Combined with the use of the residue collector, it saves labor and avoids the waste of feed. Feeding carts are equipped with residue collector to automatically return the remaining feeds at the head and tail.

Each hot-dip galvanized hopper is equipped with a transparent observation port. The hoppers are large, allowing for back-and-forth feeding. Each hopper is also provided with a dust cover to reduce dust. The chicken driving stick prevents the feeding cart from cutting the chicken heads.

Track is hot-dip galvanized rectangular pipe. Size: 30mm\*60mm thickness: 2.5mm.

The volume of the silo is configured based on the 3-day feed intake of the chickens.

Both the slant and transverse feeding pipes are 110#, with a capacity of 6 tons per hour, ensuring fast filling. The weighing device can accurately weigh the feed and be remotely debugged with stable operation.



### About Farmrob

Farmrob is a leading poultry manufacturer, No.1 layer equipment market share and provider, Top three poultry industry in China. We are committed to providing reliable and durable equipment for clients. With technological innovation as the core, Farmrob insists on animal welfare and production efficiency, and helps the global farming industry to move towards a better future.



**Sichuan Shengxing Intelligent Technology Group Co., Ltd.**



+86 15882314158



dennis@farmrob.com



farmrob.com

19 1st Road ,YangAn Industrial Park, ChengDu City,China