



30000 Pullet Poultry Cage System With Spring Door

Our Product Introduction

Basic Information

- Place of Origin: Chengdu, China
- Brand Name: Farmrob
- Certification: ISO9001, CE
- Model Number: H type pullet cage
- Minimum Order Quantity: 200 sets
- Price: USD 65-200/set
- Packaging Details: Normal export packing 20ft / 40HQ container
- Delivery Time: 60 days
- Payment Terms: L/C,T/T
- Supply Ability: 50000 sets per month



Product Specification

- Features: Anti-dust, Comfortable Living Environment
- Service Life: 15 Years
- Cage Size: 1800mm*600mm*450mm
- Story Height: 700mm
- Services: Maintenance, Debugging, Technical Training, Installation Guidance
- Characteristics: Adjustable Drinking System And Feeding System
- Quantity/ Cage: 11 Birds/cell, 3 Cells/cage, 33 Birds/cage

for more products please visit us on farmrob.com

Product Description

30000 Pullet Poultry Cage System with Spring Door

Developed and designed by Farmrob's expert team, our products have good outline and high performance. The optimized operation and streamlined workflows guarantee superior performance and reliability. Engineered with a robust construction, it offers outstanding stability and durability, perfectly suited for even the most rigorous applications.

Features

1. Through the precise design of the environmental control system and a reasonable story height of 700mm, the air inside the poultry house is fresh and the temperature is stable. Good ventilation effect with faster wind speed reduces the negative pressure to make the chicken breathe smoothly and feel more comfortable. Also, enough space improves illumination in the cage.
2. Mesh is made of Q235 Al-Zn alloy wire. (10%Al, 275g/m² Zn) Spring cage door can be operated with one hand. Convenient for vaccinations and transferring chickens in and out. The troughs are made of Al-Zn-Mg alloy plate (zinc thickness=275g/m², Al11%, Mg3%)
3. A adjuster control the height of water pipe, and water pipe is equipped with alloy pull parts to ensure consistent waterline height. Each water line is equipped with a backwashing device to facilitate regular flushing of the pipe and nipple drinkers. And its position is convenient for handling.
4. The feeding plate adjusting device of each layer can be automatically adjusted on each side with consistent front and rear adjustment, minimal error.

Specification	
Cage Length	1800mm
Cage Depth	600mm
Cage Height	450mm
Story height	700mm
Birds/cell	11 birds (0-105days)
Area/bird	327cm ²
Cells/cage	3
birds/cage	33

Why Choose Us?

Farmrob has more than 20 years of poultry farming experience and mature system.

1. Top 1 layer equipment supplier and manufacturer in China
2. Customized construction and project design and engineering solutions
3. Reasonable and cost-effective quotation
4. Chicken-oriented and animal-friendly equipment
5. Advanced technical equipment with 25-year lifespan
6. Provide installation and technical guidance

7.Training for farmers on how to properly care for the birds and use and maintain the equipment



Sichuan Shengxing Intelligent Technology Group Co., Ltd.



+86 158 8207 1508



Johnzhu@farmrob.com



farmrob.com

19 1st Road ,YangAn Industrial Park, ChengDu City,China